

Acknowledgements.

This work was supported by Ministry of Education and Science of the Russian Federation, projects No. 16.897.2017/4.6; No. MK-1882.2018.8 (Grant of the President); No. CII-84.2018.1 (Scholarship of the President).

References

- [1] Korotcenkov, G., 2010 *Chemical Sensors, General Approaches Sensor Technology*, Vol 1 (NY: Momentum Press);
- [2] Sun, Y. F., Liu, S. B., Meng, F. L., Liu, J. Y., Jin, Z., Kong, L. T., Liu, J. H., 2012 Metal oxide nanostructures and their gas sensing properties: a review. *Sensors* 12(3): pp. 2610-2631;
- [3] Comini, E., 2006 Metal oxide nanocrystals for gas sensing. *Analytica chimica acta* 568(1): pp. 28-40;
- [4] Wang, C., Yin, L., Zhang, L., Xiang, D., Gao, R., 2010 Metal oxide gas sensors: sensitivity and influencing factors. *Sensors* 10(3): pp. 2088-2106;
- [5] Lashkova, N. A., Permiakov, N. V., Maximov, A. I., Spivak, Y. M., Moshnikov, V. A., 2015 Local analysis of semiconductor nanoobjects by scanning tunneling atomic force microscopy. *St. Petersburg Polytechnical University Journal: Physics and Mathematics* 1(1): pp. 15-23;
- [6] Gracheva, I. E., Moshnikov, V. A., Karpova, S. S., Maraeva, E. V., 2011 Net-like structured materials for gas sensors. *Journal of Physics: Conference Series* 291 (1): pp. 012017;
- [7] Moshnikov, V. A., Gracheva, I., Lenshin, A. S., Spivak, Y. M., Anchkov, M. G., Kuznetsov, V. V., Olchowik, J. M., 2012 Porous silicon with embedded metal oxides for gas sensing applications *J. Non-Cryst. Solids* 358(3): pp. 590-595;
- [8] Zhang, J., Wang, S., Xu, M., Wang, Y., Zhu, B., Zhang, S., Huang, S.M., Wu, S., 2009 Hierarchically porous ZnO architectures for gas sensor application. *Cryst. Growth Des.* 9(8): pp. 3532-3537;
- [9] Liu, J., Guo, Z., Zhu, K., Wang, W., Zhang, C., Chen, X., 2011 Highly porous metal oxide polycrystalline nanowire films with superior performance in gas sensors. *J. Mater. Chem.* 21(30): pp. 11412-11417;
- [10] Huang, J., Wu, Y., Gu, C., Zhai, M., Sun, Y., Liu, J., 2011 Fabrication and gas-sensing properties of hierarchically porous ZnO architectures. *Sens. Actuat. B* 155(1): pp. 126-133;
- [11] Wang, X., Liu, W., Liu, J., Wang, F., Kong, J., Qiu, S., He, C., Luan, L., 2012 Synthesis of nestlike ZnO hierarchically porous structures and analysis of their gas sensing properties. *ACS Appl Mater Interfaces* 4(2): pp. 817-825;
- [12] Fan, F., Tang, P., Wang, Y., Feng, Y., Chen, A., Luo, R., Li, D., 2015 Facile synthesis and gas sensing properties of tubular hierarchical ZnO self-assembled by porous nanosheets. *Sens. Actuat. B*, 215: pp. 231-240;
- [13] Zhang, L., Zhao, J., Lu, H., Li, L., Zheng, J., Li, H., Zhu, Z., 2012 Facile synthesis and ultra-high ethanol response of hierarchically porous ZnO nanosheets. *Sens. Actuators B*, 161(1): pp. 209-215;
- [14] Liu, X., Zhang, J., Wang, L., Yang, T., Guo, X., Wu, S., Wang, S., 2011 3D hierarchically porous ZnO structures and their functionalization by Au nanoparticles for gas sensors. *J. Mater. Chem.* 21(2): pp. 349-356;
- [15] Wang, P. P., Qi, Q., Zou, X., Zhao, J., Xuan, R. F., Li, G. D., 2013 A precursor route to porous ZnO nanotubes with superior gas sensing properties. *RSC Adv.* 3(46): pp. 23980-23983;
- [16] Jullien, R., 1987 *Fractal Aggregates*. *Comm. Cond. Mat. Phys.* 13(4): pp. 177-205;
- [17] Moshnikov, V. A., Gracheva, I. E., Kuznetsov, V. V., Maximov, A. I., Karpova, S. S., Ponomareva, A. A., 2010 Hierarchical nanostructured semiconductor porous materials for gas sensors. *J. Non-Cryst. Solids* 356(37): 2020-2025;
- [18] Gracheva, I. E., Moshnikov, V. A., Maraeva, E. V., Karpova, S. S., Aleksandrova, O. A., Alekseyev, N. I., Kuznetsov, V.V., Olchowik, G., Semenov, K.N., Startseva, A.V., Sitnikov, A.V., Olchowik, J.M., 2012 Nanostructured materials obtained under conditions of hierarchical self-assembly and modified by derivative forms of fullerenes. *J. Non-Cryst. Solids* 358(2): pp. 433-439;
- [19] Ulrich, M., Kohl, C. D., Bunde, A., 2001 Percolation model of a nanocrystalline gas sensitive layer. *Thin Solid Films* 391(2): pp. 299-302;
- [20] Dräger, J., Russ, S., Sauerwald, T., Kohl, C. D., Bunde, A., 2013 Percolation transition in the gas-induced conductance of nanograin metal oxide films with defects. *J. Appl. Phys.* 113(22): pp. 223701;
- [21] Jobmann, M., Billaux, D., 2010 Fractal model for permeability calculation from porosity and pore radius information and application to excavation damaged zones surrounding waste emplacement boreholes in opalinus clay. *International Journal of Rock Mechanics and Mining Sciences* 47(4): pp. 583-589;
- [22] Aroutiounian, V. M., Ghoolinian, M. Z., Tributsch, H., 2000 Fractal model of a porous semiconductor. *Appl. Surf. Sci.* 162: pp. 122-132;
- [23] Averin I.A., Pronin I.A., Karmanov A.A., Karpanin O.V., 2014 Determination of the percolation threshold on a square lattice with a hierarchical pore system. Certificate of state registration of computer programs No. 2014612604;
- [24] Feder, E. 1991 *Fractals*: in Russian (Moscow: Mir);
- [25] Gracheva, I.E., 2009 Semiconductor mesh nanostructured composites based on tin dioxide obtained by sol-gel method for gas sensors. Thesis for a degree of Candidate of Physical and Mathematical Sciences (St. Petersburg State Electrotechnical University "LETI") St. Petersburg. (In Russian);
- [26] Rumyantseva, M.N., 2009 Chemical modification and sensory properties of nanocrystalline tin dioxide. Thesis for a degree of Doctor of Chemical Sciences. Moscow, (In Russian);
- [27] Pronin, I.A., Averin, I.A., Moshnikov, V.A., Yakushova, N.D., Kuznetsova, M.V., Karmanov, A.A., 2014 Percolation model of a gas sensor based on semiconductor oxide nanomaterials with a hierarchical pore structure. *Journal of Nano- and Microsystems Technique* 9: pp. 15–19, (In Russian);

- [28] Moshnikov, V. A., Nalimova, S. S., Seleznev, B. I.,
2014 Gas-sensitive layers based on fractal-percolation
structures. *Semiconductors* 48(11): 1499-1503.