

References

- [1] R. Siegel, E. Ward, O. Brawley, and A. Jemal, "Cancer Statistics, 2011," *CA cancer J. Clin.*, 2011, doi: 10.3322/caac.20121. Available.
- [2] Y. S. Sun et al., "Risk factors and preventions of breast cancer," *International Journal of Biological Sciences*. 2017, doi: 10.7150/ijbs.21635.
- [3] I. A. for R. on Cancer, "Breast Cancer Estimated Incidence, Mortality and Prevalence Worldwide in 2012," 2012, 2012. .
- [4] D. A. Berry et al., "Effect of screening and adjuvant therapy on mortality from breast cancer," *N. Engl. J. Med.*, 2005, doi: 10.1056/NEJMoa050518.
- [5] P. Folger, "Geospatial information and geographic information systems (GIS): Current issues and future challenges," in *Geospatial Information and GIS: Background and Issues*, 2011.
- [6] H. Asri, H. Mousannif, H. Al Moatassime, and T. Noel, "Using Machine Learning Algorithms for Breast Cancer Risk Prediction and Diagnosis," 2016, doi: 10.1016/j.procs.2016.04.224.
- [7] G. Battineni, G. G. Sagaro, N. Chintalapudi, and F. Amenta, "Applications of machine learning predictive models in the chronic disease diagnosis," *Journal of Personalized Medicine*. 2020, doi: 10.3390/jpm10020021.
- [8] G. Battineni, G. G. Sagaro, C. Nalini, F. Amenta, and S. K. Tayebati, "Comparative Machine-Learning Approach: A Follow-Up Study on Type 2 Diabetes Predictions by Cross-Validation Methods," *Machines*, vol. 7, no. 4, p. 74, Dec. 2019, doi: 10.3390/machines7040074.
- [9] B. Kaur, M. Sharma, M. Mittal, A. Verma, L. M. Goyal, and D. J. Hemanth, "An improved salient object detection algorithm combining background and foreground connectivity for brain image analysis," *Comput. Electr. Eng.*, 2018, doi: 10.1016/j.compeleceng.2018.08.018.
- [10] X. Zhou, K. Y. Liu, and S. T. C. Wong, "Cancer classification and prediction using logistic regression with Bayesian gene selection," *J. Biomed. Inform.*, 2004, doi: 10.1016/j.jbi.2004.07.009.
- [11] W. Kim et al., "Recurrence Prediction Model for Breast Cancer," vol. 15, no. 2, pp. 230–238, 2012, doi: 10.4048/jbc.2012.15.2.230.
- [12] L. Tapak, N. Shirmohammadi-Khorram, P. Amini, B. Alafchi, O. Hamidi, and J. Poorolajal, "Prediction of survival and metastasis in breast cancer patients using machine learning classifiers," *Clin. Epidemiol. Glob. Heal.*, no. September, pp. 1–7, 2018, doi: 10.1016/j.cegh.2018.10.003.
- [13] B. K. Singh, "Determining relevant biomarkers for prediction of breast cancer using anthropometric and clinical features: A comparative investigation in machine learning paradigm," *Biocybern. Biomed. Eng.*, vol. 39, no. 2, pp. 393–409, 2019, doi: 10.1016/j.bbe.2019.03.001.
- [14] T. Ayer, O. Alagoz, J. Chhatwal, J. W. Shavlik, C. E. Kahn, and E. S. Burnside, "Breast cancer risk estimation with artificial neural networks revisited: Discrimination and calibration," *Cancer*, vol. 116, no. 14, pp. 3310–3321, 2010, doi: 10.1002/cncr.25081.
- [15] B. Gregorutti, B. Michel, and P. Saint-Pierre, "Correlation and variable importance in random forests," *Stat. Comput.*, 2017, doi: 10.1007/s11222-016-9646-1.
- [16] Y. Perez-Riverol, M. Kuhn, J. A. Vizcaino, M. P. Hitz, and E. Audain, "Accurate and fast feature selection workflow for high-dimensional omics data," *PLoS One*, 2017, doi: 10.1371/journal.pone.0189875.
- [17] V. Jakkula, "Tutorial on Support Vector Machine (SVM)," pp. 1–13, 2006, doi: 10.11648/j.acm.s.2017060401.11.
- [18] G. C. Cawley and N. L. C. Talbot, "Gene selection in cancer classification using sparse logistic regression with Bayesian regularization," *Bioinformatics*, 2006, doi: 10.1093/bioinformatics/btl386.
- [19] A. M. Abdel-Zaher and A. M. Eldeib, "Breast cancer classification using deep belief networks," *Expert Syst. Appl.*, 2016, doi: 10.1016/j.eswa.2015.10.015.
- [20] T. Miller, P. Hower, and L. Sonenberg, "Explainable AI: beware of inmates running the asylum," *IJCAI 2017 Work. Explain. Artif. Intell.*, 2017, doi: 10.1016/j.foodchem.2017.11.091.
- [21] J. Ivančaková, F. Babič, and P. Butka, "Comparison of different machine learning methods on Wisconsin dataset," 2018, doi: 10.1109/SAMI.2018.8324834.
- [22] A. F. M. Agarap, "On breast cancer detection: An application of machine learning algorithms on the Wisconsin diagnostic dataset," 2018, doi: 10.1145/3184066.3184080.
- [23] G. Battineni, N. Chintalapudi, F. Amenta, and E. Traini, "A Comprehensive Machine-Learning Model Applied to Magnetic Resonance Imaging (MRI) to Predict Alzheimer's Disease (AD) in Older Subjects," *J. Clin. Med.*, vol. 9, no. 7, p. 2146, Jul. 2020, doi: 10.3390/jcm9072146.
- [24] M. Mittal, L. M. Goyal, S. Kaur, I. Kaur, A. Verma, and D. Jude Hemanth, "Deep learning based enhanced tumor segmentation approach for MR brain images," *Appl. Soft Comput. J.*, 2019, doi: 10.1016/j.asoc.2019.02.036.
- [25] J. Tang, S. Alelyani, and H. Liu, "Feature selection for classification: A review," in *Data Classification: Algorithms and Applications*, 2014.
- [26] Y. T. Cho et al., "Fine Needle Aspiration Combined With Matrix-assisted Laser Desorption Ionization Time-of-Flight/Mass Spectrometry to Characterize Lipid Biomarkers for Diagnosing Accuracy of Breast Cancer," *Clin. Breast Cancer*, 2017, doi: 10.1016/j.clbc.2017.04.014.
- [27] H. Wang, B. Zheng, S. W. Yoon, and H. S. Ko, "A support vector machine-based ensemble algorithm for breast cancer diagnosis," *Eur. J. Oper. Res.*, 2018, doi: 10.1016/j.ejor.2017.12.001.