

- [34] CASTELLANOS, N.P. and MAKAROV, V.A. (2006) Recovering eeg brain signals: artifact suppression with wavelet enhanced independent component analysis. *Journal of neuroscience methods* **158**(2): 300–312.
- [35] ZHOU, M., TIAN, C., CAO, R., WANG, B., NIU, Y., HU, T., GUO, H. *et al.* (2018) Epileptic seizure detection based on eeg signals and cnn. *Frontiers in neuroinformatics* **12**: 95.
- [36] QARAQE, M., ISMAIL, M. and SERPEDIN, E. (2015) Band-sensitive seizure onset detection via csp-enhanced eeg features. *Epilepsy & Behavior* **50**: 77–87.
- [37] ALOTAIBY, T.N., ALSHEBEILI, S.A., ALOTAIBI, F.M. and ALRSHOUD, S.R. (2017) Epileptic seizure prediction using csp and lda for scalp eeg signals. *Computational intelligence and neuroscience* **2017**.
- [38] HUSSEIN, R., PALANGI, H., WARD, R.K. and WANG, Z.J. (2019) Optimized deep neural network architecture for robust detection of epileptic seizures using eeg signals. *Clinical Neurophysiology* **130**(1): 25–37.
- [39] SEIJO-PARDO, B., PORTO-DÍAZ, I., BOLÓN-CANEDO, V. and ALONSO-BETANZOS, A. (2017) Ensemble feature selection: homogeneous and heterogeneous approaches. *Knowledge-Based Systems* **118**: 124–139.
- [40] KS, S.C., MISHRA, A., SHIRHATTI, V. and RAY, S. (2016) Comparison of matching pursuit algorithm with other signal processing techniques for computation of the time-frequency power spectrum of brain signals. *Journal of Neuroscience* **36**(12): 3399–3408.